Site Plan - 263, 271 and 293 Main Road, Austins Ferry






NOTE: REFER TO CIVIL DRAWINGS BY ALDANMARK FOR ADDITIONAL DETAILS ON STORMWATER WATER AND SEWER INFRASTRUCTURE

DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

PLEASE NOTE: CONTOURS SHOWN ARE EXISTING CONTOURS, REFER TO CIVIL DRAWINGS BY ALDANMARK FOR PROPOSED CONTOURS AND DRIVEWAY HEIGHTS AND LEVELS

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY | SITE PLAN | DATE | II / O7 / 2025 | Plant | II / O7 / 2025 | Plant | II / O7 / 2025 | Plant | Plant





NOTE: REFER TO CIVIL DRAWINGS BY ALDANMARK FOR ADDITIONAL DETAILS ON STORMWATER WATER AND SEWER INFRASTRUCTURE


DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

Acoustic fence constructed from a panel system that provides a contiguous mass barrier with a sound transmission loss of 20 dB or more at frequencies from the 125 Hz 1/1-octave band and above.

PLEASE NOTE: CONTOURS SHOWN ARE EXISTING CONTOURS, REFER TO CIVIL DRAWINGS BY ALDANMARK FOR PROPOSED CONTOURS AND DRIVEWAY HEIGHTS AND LEVELS

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

| SITE PLAN LOWER LEVEL | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582 |
|---|--------------------------|--|
| 5CALE 1:500 AMENDED 22/12/2012 26/11/2024 27/11/2024 | DRAWING NO. 02 OF 143 | Accreditation No.CC62OH |





NOTE: REFER TO CIVIL DRAWINGS BY ALDANMARK FOR ADDITIONAL DETAILS ON STORMWATER WATER AND SEWER INFRASTRUCTURE

DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION


Acoustic fence constructed from a panel system that provides a contiguous mass barrier with a sound transmission loss of 20 dB or more at frequencies from the 125 Hz 1/1-octave band and above.

PLEASE NOTE: CONTOURS SHOWN ARE EXISTING CONTOURS, REFER TO CIVIL DRAWINGS BY ALDANMARK FOR PROPOSED CONTOURS AND DRIVEWAY HEIGHTS AND LEVELS


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

| SITE PLAN UPPER LEVEL | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582 |
|---|--------------------------|--|
| SCALE 1:500 AMENDED 22/12/2012 11/06/2025 | DRAWING NO. 03 OF 143 | Accreditation No.CC62OH copyright 2021 1221 |


























6m x 4m min Private

open space (24.00m/2) Max 1:10 gradient

Decorative pebbles/gravel

Mulched garden

Masonry wall with inbuilt_

letterboxes at boundary max 1000 high

/ UNIT/1 /F



NOTE: There are no proposed second level balconies overlooking the industrial sites to the East. Units 17 & 18 have an upper level balcony facing South

Unit P.O.S. m²

Unit 23 63.10 Unit 24 62.95 Unit 25 80.94

Unit 26 139.30 Unit 27 96.27 Unit 28 113.56 Unit 29 115.66 Unit 30 124.13

Unit 32 94.05 Unit 32 94.05 Unit 33 115.56 Unit 34 99.72 Unit 35 89.11 Unit 36 92.10

Unit 38 72.17 Unit 39 73.52 Unit 40 73.72 Unit 41 90.92 Unit 42 148.05

69.33

Unit 31 Unit 32


PLEASE NOTE: CONTOURS SHOWN ARE EXISTING CONTOURS, REFER TO CIVIL DRAWINGS BY ALDANMARK FOR PROPOSED CONTOURS AND DRIVEWAY HEIGHTS AND LEVELS

Acoustic fence on boundary-

DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

| ZIIIWWIN KUMU MUZIINZI KKI | PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY |
|----------------------------|--|
|----------------------------|--|

| LANDSCAPE PLAN | | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@bigpond.com phone ph 0400 671 582 |
|----------------|---|-----------------------------|--|
| 5CALE 1:500 | AMENDED 22/12/2012 09/04/2024 11/06/2025 | DRAWING NO. 13 OF 143 A2 | Accreditation No.CC62OH copyright 2O21 1221 |






Acoustic fence constructed from a panel system that provides a contiguous mass barrier with a sound transmission loss of 20 dB or more at frequencies from the 125 Hz 1/1-octave band and above.


PLEASE NOTE: CONTOURS SHOWN ARE EXISTING CONTOURS, REFER TO CIVIL DRAWINGS BY ALDANMARK FOR PROPOSED CONTOURS AND DRIVEWAY HEIGHTS AND LEVELS


DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY













PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY WHEELIE BIN COLLECTION ELEVATION

DATE

11 / 07 / 2025


DRAWN BY G.T.illey email: qltilley7@biqpond.com phone ph 0400 671 582


SCALE 1:100


AMENDED

DRAWING NO. 19 OF 143 Accreditation No.CC620H


copyright 2021 1221








Document Set #DILDNG3097010ERS AUSTRALIA Version: 2, Version Date: 02/10/2025



Document Set BDI: DNG 309 90 MERS AUSTRALIA Version: 2, Version Date: 02/10/2025





DEVELOPMENT DRAWINGS ONLY


NOT FOR CONSTRUCTION


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 2 ELEVATIONS DATE 11/07/2025 AMENDED SCALE 1:100 DRAWING NO.

24 OF 143

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582 Accreditation No.CC620H C copyright 2021 1221

Version: 2, Version Date: 02/10/2025







DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 2 ELEVATIONS

DATE

11/ 07/ 2025

SCALE 1:100

AMENDED


DRAWING NO.


25 OF 143

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582


Accreditation No.CC620H

copyright 2021 1221









SOUTH EAST ELEVATION




Version: 2, Version Date: 02/10/2025


UNIT 3

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

DRAWN BY G.Tilley UNIT 3 ELEVATIONS DATE 11/07/2025 AMENDED SCALE 1:100



NORTH EAST ELEVATION



SOUTH WEST ELEVATION




PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 3 ELEVATIONS DATE 11/07/2025 AMENDED SCALE 1:100

DRAWN BY G.Tilley email: qltlley7@bigpond.com phone ph 0400 671 582


DRAWING NO. 29 OF 143

Accreditation No.CC620H C copyright 2021 1221


Document Set 即即即發發到數形 AUSTRALIA Version: 2, Version Date: 02/10/2025




Document Set #DILDNG3097010ERS AUSTRALIA Version: 2, Version Date: 02/10/2025



Document Set #DI:DNG30851019ERS AUSTRALIA Version: 2, Version Date: 02/10/2025







DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SUM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

SCALE 1:100 AMENDED DRAWING NO. 32 OF 143


DATE


UNIT 4 ELEVATIONS

DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582
Accreditation No.CC620H

C copyright 2021 1221

Document Set PDI: DNG 3997 DNERS AUSTRALIA Version: 2, Version Date: 02/10/2025







DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 4 ELEVATIONS

DATE

11/ 07/ 2025

SCALE 1:100

AMENDED


DRAWING NO.

33 OF 143


DRAWN BY G.Tilley
email: qltilley7@biapond.com
phone ph 0400 671 582

Accreditation No.CC620H

Copyright 2021 1221



Version: 2, Version Date: 02/10/2025



DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 5 PLAN DATE
11/07/2025

SCALE 1:100 AMENDED DRAWING NO.

35 OF 143


DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582

Accreditation No.CC620H

copyright 2021 1221









DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

11/07/2025 AMENDED SCALE 1:100 DRAWING NO. 36 OF 143

DATE


UNIT 5 ELEVATIONS

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582 Accreditation No.CC620H

C copyright 2021 1221

Version: 2, Version Date: 02/10/2025







DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 5 ELEVATIONS

DATE

II / O7 / 2025

DRAWN BY G.Tilley email: qltilley7@bigpond.com phone ph 0400 671 582

SCALE 1:100


AMENDED


DRAWING NO.


37 OF 143

Coopyright 2021 1221

| bda | | | | | |
|--|--------|--|--|--|--|
| Document Set #DI: DING 398 FIQUERS AUSTRALIA | | | | | |
| Version: 2, Version Date: 02/10/2025 | Versio | | | | |











DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 6 ELEVATIONS DATE 11/07/2025 DRAWING NO.

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582


SCALE 1:100

/06/2025

40 OF 143

Accreditation No.CC620H (C) copyright 2021 1221









DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY


| UNIT 6 ELEVATIONS | | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582 |
|-------------------|-----------------------|--------------------------|--|
| 5CALE 1:1()() | AMENDED 11/06/2025 | DRAWING NO. 41 OF 143 | Accreditation No.CC62OH copyright 2O21 1221 |





Document Set 即即即發發到數形 AUSTRALIA Version: 2, Version Date: 02/10/2025







PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 7 ELEVATIONS DATE 11/07/2025 AMENDED SCALE 1:100 DRAWING NO.

44 OF 143

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582 Accreditation No.CC620H

(C) copyright 2021 1221

Document Set #DI:DING 308 FIQUERS AUSTRALIA Version: 2, Version Date: 02/10/2025

DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION



NORTH EAST ELEVATION





DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 7 ELEVATIONS DATE 11/07/2025 AMENDED DRAWING NO.


DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582

SCALE 1:100

45 OF 143

Accreditation No.CC620H C copyright 2021 1221






PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 8 PLAN DATE 11/07/2025 AMENDED SCALE 1:100 DRAWING NO. 47 OF 143

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582

Accreditation No.CC620H C copyright 2021 1221

Document Set #DILDING 309 51 2019 ERS AUSTRALIA Version: 2, Version Date: 02/10/2025

DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION




Document Set #DI:DING 308 FIQUERS AUSTRALIA Version: 2, Version Date: 02/10/2025

NOT FOR CONSTRUCTION


AMENDED SCALE 1:100 DRAWING NO. 48 OF 143

Accreditation No.CC620H

(C) copyright 2021 1221



NORTH EAST ELEVATION





UNIT 8


DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION


Document Set #DI:0N639900ERS AUSTRALIA Version: 2, Version Date: 02/10/2025 PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY


| UNIT 8 ELEVATIONS | | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582 |
|-------------------|---------|--------------------------|--|
| SCALE 1:100 | AMENDED | DRAWING NO. 49 OF 143 | Accreditation No.CC62OH copyright 2O21 1221 |




























DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 13 ELEVATIONS

SCALE 1:100

DATE 11/07/2025


email: qltilley7@biqpond.com phone ph 0400 671 582


DRAWING NO. 59 OF 143


Accreditation No.CC620H


copyright 2021 1221


AMENDED























AREAS
Upper Level 84.22m/2
Lower level 88.23m/2
Total 172.51m/2
Deck 11.51m/2


<u>UNIT 17</u>


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

DRAWN BY G.Tilley email: qltlley7@bigpond.com phone ph 0400 671 582 UNIT 17 PLAN DATE 11/07/2025 AMENDED SCALE 1:100 Accreditation No.CC620H DRAWING NO. 67 OF 143 C copyright 2021 1221




DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION





EAST ELEVATION



WEST ELEVATION


UNIT 17


DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION


Document Set #DI:0N639900ERS AUSTRALIA Version: 2, Version Date: 02/10/2025 PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY


69 OF 143

C copyright 2021 1221









AREAS

Upper Level 65.50m/2
Lower level 90.97m/2
Total 156.47m/2
Deck 11.51m/2

UNIT 18


DEVELOPMENT DRAWINGS ONLY


NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582 UNIT 18 PLAN DATE 11/07/2025 AMENDED 09/04/2024 SCALE 1:100 Accreditation No.CC620H DRAWING NO. 71 OF 143 C copyright 2021 1221










PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 18 ELEVATIONS DATE 11/07/2025 AMENDED 09/04/2024 SCALE 1:100 DRAWING NO.

72 OF 143

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582 Accreditation No.CC620H

(C) copyright 2021 1221



EAST ELEVATION



WEST ELEVATION


DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 18 ELEVATIONS DATE 11/07/2025 AMENDED 09/04/2024 SCALE 1:100 DRAWING NO.


73 OF 143


DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582 Accreditation No.CC620H


C copyright 2021 1221













AREAS
Upper Level 79.88m/2
Lower level 89.86m/2
Total 169.74m/2
Deck 2.35m/2

AMENDED

UNIT 19 PLAN

SCALE 1:100

DATE 11/07/2025

> DRAWING NO. 75 OF 143


DRAWN BY G.Tilley email: qltlley7@bigpond.com phone ph 0400 671 582


Accreditation No.CC620H C copyright 2021 1221

UNIT 19

PROPOSED UNIT DEVELOPMENT FOR

SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY







DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 19 ELEVATIONS

DATE

11/07/2025

SCALE 1:100


AMENDED


DRAWING NO.

DRAWN BY G.Tilley email: qltilley7@biapond.com phone ph 0400 671 582
Accreditation No.CC620H

 DRAWING NO.
 Accreditation No.CC620H

 76 OF 143
 C copyright 2021
 1221







Document Set #DI:0N639900ERS AUSTRALIA Version: 2, Version Date: 02/10/2025 UNIT 19

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 19 ELEVATIONS

DATE

11/ 07/ 2025


SCALE 1:100

AMENDED


DRAWING NO.


77 OF 143


DRAWN BY G.Tilley





Version: 2, Version Date: 02/10/2025



















PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 23 ELEVATIONS DATE 11/07/2025 AMENDED SCALE 1:100 DRAWING NO.

85 OF 143


DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582 Accreditation No.CC620H


(C) copyright 2021 1221


NOT FOR CONSTRUCTION

DEVELOPMENT DRAWINGS ONLY

Document Set #DI:DING 308 FIQUERS AUSTRALIA Version: 2, Version Date: 02/10/2025









Document Set #DICOM 308 FOR RS AUSTRALIA
Version: 2, Version Date: 02/10/2025

DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 25 ELEVATIONS

SCALE 1:100


AMENDED


11/07/2025


email: altilley7@biapond.com phone ph 0400 671 582 Accreditation No.CC620H


DRAWING NO. 89 OF 143


copyright 2021 1221















UNIT 26 PLAN



UPPER LEVEL PLAN

AREAS
UNIT 26
Upper Level 81.38m/2
Lower level 86.98m/2
Total 168.36m/2

UNIT 26

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY


11/07/2025 AMENDED SCALE 1:100 DRAWING NO. 91 OF 143


DATE

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582

Accreditation No.CC620H (C) copyright 2021 1221









DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 26 ELEVATIONS

DATE

11/ 07/ 2025

SCALE 1:100

AMENDED

DRAWING NO.


92 OF 143


DRAWN BY G.Tilley email: qltilley7@bigpond.com phone ph 0400 671 582

Accreditation No.CC620H

copyright 2021 1221

Document Set FDI-DIEDER DIE RES AUSTRALIA Version: 2, Version Date: 02/10/2025







DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 26 ELEVATIONS

DATE

II/ 07/ 2025

SCALE 1:100

AMENDED


DRAWING NO.


93 OF 143


DRAWN BY G.Tilley email: qltilley7@biapond.com phone ph 0400 671 582


Accreditation No.CC620H


copyright 2021 1221














AREAS UNIT 27


Upper Level 81.38m/2 Lower level 86.98m/2 Total 168.36m/2

UNIT 27


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582 UNIT 27 PLAN DATE 11/07/2025 AMENDED SCALE 1:100 Accreditation No.CC620H DRAWING NO. C copyright 2021 1221 95 OF 143











DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 27 ELEVATIONS

DATE

II / 07 / 2025

SCALE I:100

AMENDED


DRAWING NO.


DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582

Accreditation No.CC620H

DRAWING NO. 96 OF 143

copyright 2021 1221





DEVELOPMENT DRAWINGS ONLY

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 27 ELEVATIONS DATE 11/07/2025 AMENDED SCALE 1:100 DRAWING NO.


97 OF 143


DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582


Accreditation No.CC620H C copyright 2021 1221


Document Set #DI:DING 308 FIQUERS AUSTRALIA Version: 2, Version Date: 02/10/2025


NOT FOR CONSTRUCTION














LLFLAN

AREAS
UNIT 28
Upper Level 81.38m/2
Lower level 86.98m/2
Total 168.36m/2


UNIT 28

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY


| UNIT 28 | PLAN | | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582 |
|---------|-------|---------|--------------------|--|
| SCALE | 1:100 | AMENDED | DRAWING NO. | Accreditation No.CC620H |



DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION



NORTH ELEVATION





UNIT 28


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 28 ELEVATIONS DATE 11/07/2025 AMENDED DRAWING NO.

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582

SCALE 1:100

Accreditation No.CC620H (C) copyright 2021 1221

100 *OF* 143






DEVELOPMENT DRAWINGS ONLY


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 28 ELEVATIONS DATE 11/07/2025 AMENDED SCALE 1:100


DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582 Accreditation No.CC620H


DRAWING NO. 101 OF 143 C copyright 2021 1221


NOT FOR CONSTRUCTION














AREAS
UNIT 29
Upper Level 81.38m/2
Lower level 86.98m/2
Total 168.36m/2


UNIT 29

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY


DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582 UNIT 29 PLAN DATE 11/07/2025 AMENDED SCALE 1:100 Accreditation No.CC620H DRAWING NO. 11/06/2025 C copyright 2021 1221 103 OF 143



DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION



NORTH ELEVATION



UNIT 29



PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 29 ELEVATIONS

DATE

II / O7 / 2025

SCALE 1:100

AMENDED

DRAWING NO.

104 OF 143


11/06/2025


DRAWN BY G.Tilley email: altilley?@biapond.com phone ph 0400 671 582
Accreditation No.CC620H

Accreditation No.CC620H

copyright 2021 1221









DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 29 ELEVATIONS DATE 11/07/2025 SCALE 1:100

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582 Accreditation No.CC620H

AMENDED DRAWING NO. 1/06/2025 105 OF 143







AREAS UNIT 30

UNIT 30 Upper Level 47.45m/2 Lower level 106.17m/2 Total 153.62m/2


UNIT 30

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY


DRAWN BY G.Tilley email: qltlley7@bigpond.com phone ph 0400 671 582 UNIT 30 PLAN DATE 11/07/2025 AMENDED SCALE 1:100 Accreditation No.CC620H DRAWING NO. 11/06/2025 107 OF 143 C copyright 2021 1221



DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION



NORTH ELEVATION



SOUTH ELEVATION



UNIT 30

DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

UNIT 30 ELEVATIONS DATE 11/07/2025 5CALE 1:100 DRAWING NO.


email: qltilley7@biqpond.com phone ph 0400 671 582

DRAWN BY G.Tilley


AMENDED 11/06/2025

Accreditation No.CC620H (C) copyright 2021 1221

108 OF 143



EAST ELEVATION



WEST ELEVATION

DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

UNIT 30

UNIT 30 ELEVATIONS

AMENDED

DATE 11/07/2025


DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582


SCALE 1:100


DRAWING NO. 11/06/2025 109 OF 143


Accreditation No.CC620H


C copyright 2021 1221






















DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION






AREAS
UNIT 33
Upper Level 72


Upper Level 72.10m/2 Lower level 84.56m/2 Total 156.66m/2

UNIT 33

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY | DRAWN BY G.T. | DRAWN BY G.T. | Graph | DRAWN BY G.T. | Graph | Grap









PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

UNIT 33 ELEVATIONS DATE 11/07/2025 AMENDED SCALE 1:100 DRAWING NO.

116 OF 143


DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582


Accreditation No.CC620H (C) copyright 2021 1221

DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION


Version: 2, Version Date: 02/10/2025








WEST ELEVATION


| UNIT 33 ELEVATIONS | | DATE 11/07/2025 | DRAWN BY G.T.illey email: altilley7@biapond.com phone ph 0400 671 582 |
|--------------------|---------|---------------------------|---|
| SCALE 1:100 | AMENDED | DRAWING NO. 117 OF 143 | Accreditation No.CC62OH copyright 2O21 1221 |














AREAS
UNIT 34
Upper Level 72.10m/2
Lower level 84.56m/2
Total 156.66m/2


UNIT 34

PROPOSED UNIT DEVELOPMENT FOR
SJM PROPERTY DEVELOPMENTS PTY LTD AT
271 MAIN ROAD AUSTINS FERRY

| | | | 1010 11 11 12 17 6 7 11 |
|--------------|---------|---------------------------|--|
| UNIT 34 PLAN | | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582 |
| SCALE 1:100 | AMENDED | PRAWING NO. 119 OF 143 | Accreditation No.CC620H C copyright 2021 1221 |



DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION




NORTH ELEVATION




SOUTH ELEVATION

| UNIT 34 ELEVATIONS | | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@bigpond.com phone ph 0400 671 582 |
|--------------------|---------|---------------------------|--|
| SCALE 1:100 | AMENDED | DRAWING NO. 120 OF 143 | Accreditation No.CC62OH copyright 2O21 1221 |




EAST ELEVATION





WEST ELEVATION


DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SUM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY










AREAS
UNIT 35
Upper Level 71.06m/2
Lower level 83.54m/2
Total 154.60m/2

UNIT 35, 36

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY





NORTH ELEVATION



SOUTH ELEVATION

DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

UNIT 35, 36


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

UNIT 35, 36 ELEVATIONS DATE 11/07/2025 SCALE 1:100

DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582

AMENDED DRAWING NO. 124 OF 143

Accreditation No.CC620H C copyright 2021 1221







UNIT 35, 36

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 35, 36 ELEVATIONS DATE 11/07/2025 AMENDED SCALE 1:100 DRAWING NO.


125 OF 143


DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582 Accreditation No.CC620H


C copyright 2021 1221

NOT FOR CONSTRUCTION

DEVELOPMENT DRAWINGS ONLY









DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

| PROPOSED UNIT DEVELOPMENT FOR |
|--------------------------------------|
| SJM PROPERTY DEVELOPMENTS PTY LTD AT |
| 271 MAIN ROAD AUSTINS FERRY |

| UNIT 37-41 PLAN | | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@blapond.com phone ph 0400 671 582 |
|-----------------|---------|---------------------------|--|
| SCALE 1:200 | AMENDED | DRAWING NO. 126 OF 143 | Accreditation No.CC62OH copyright 2O21 1221 |








UPPER LEVEL PLAN




UNIT 37-41

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

| UNIT 37-41 PLAN | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582 |
|---------------------|---------------------------|--|
| SCALE 1:200 AMENDED | DRAWING NO. 127 OF 143 | Accreditation No.CC62OH copyright 2O2I 122I |





SOUTH ELEVATION


DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION


UNIT 37-41

| PROPOSED UNIT DEVELOPMENT FOR |
|--------------------------------------|
| SJM PROPERTY DEVELOPMENTS PTY LTD AT |
| 271 MAIN ROAD AUSTINS FERRY |

| UNIT 37-41 ELEVATION | 15 | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@bigpond.com phone ph 0400 671 582 |
|----------------------|---------|---------------------------|--|
| SCALE 1:200 | AMENDED | DRAWING NO. 128 OF 143 | Accreditation No.CC62OH copyright 2O21 1221 |







WEST ELEVATION

UNIT 37-41

DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY


| UNIT 37-41 ELEVATIC | DATE 11/07/2025 | |
|---------------------|--------------------|-------------|
| SCALE 1:100 | AMENDED | DRAWING NO. |


DRAWN BY G.Tilley email: qltlley7@bigpond.com phone ph 0400 671 582


Accreditation No.CC620H C copyright 2021 1221


129 OF 143


Document Set #DI:DING 308 FIQUERS AUSTRALIA Version: 2, Version Date: 02/10/2025











AREAS
Unit 37
Lower level 97.82m²
Upper level 70.89m²
Total 168.71m²

AREAS
Unit 38
Lower level 97.82m²
Upper level 70.89m²
Total 168.71m²


UNIT 37, 38

DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY

| UNIT 37, 38 PLAN | | DATE 11/07/2025 | DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582 |
|------------------|---------|---------------------------|--|
| SCALE 1:100 | AMENDED | DRAWING NO. 131 OF 143 | Accreditation No.CC62OH copyright 2O21 1221 |





SOUTH ELEVATION



Document Set #DI-DB-63987@MERS AUSTRALIA

UNIT 37, 38

DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 37, 38 LELVATIONS

DATE

11/ 07/ 2025

SCALE 1:100

AMENDED


DRAWING NO.


132 OF 143

DRAWN BY G.Tilley email: qitilley7@biapond.com phone ph 0400 671 582 Accreditation No.CC620H

(C) copyright 2021 1221

Version: 2, Version Date: 02/10/2025





AREAS Unit 39

Unit 39 Lower level 97.82m² Upper level 70.89m² Total 168.71m²

DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 39 PLAN

DATE

11/07/2025

SCALE 1:100

AMENDED

DRAWING NO.


133 OF 143


DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582


Accreditation No.CC620H


copyright 2021 | 1221











AREAS
Unit 39
Lower level 97.82m^2
Upper level 70.89m^2
Total 168.71m^2

DRAWN BY G.Tilley email: altilley7@biapond.com phone ph 0400 671 582

C copyright 2021 1221


Accreditation No.CC620H


UNIT 39

PROPOSED UNIT DEVELOPMENT FOR DEVELOPMENT DRAWINGS ONLY SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 39 PLAN DATE 11/07/2025 AMENDED SCALE 1:100 DRAWING NO. 134 OF 143



NOT FOR CONSTRUCTION Document Set #DI:DNG30851019ERS AUSTRALIA Version: 2, Version Date: 02/10/2025







DEVELOPMENT DRAWINGS ONLY

NOT FOR CONSTRUCTION


PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY


UNIT 39 ELEVTIONS DATE 11/07/2025 AMENDED SCALE 1:100 DRAWING NO.


135 OF 143

DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582 Accreditation No.CC620H

(C) copyright 2021 1221







UPPER LEVEL PLAN

AREAS
Unit 40
Lower level 97

Lower level 97.82m² Upper level 70.89m²


North West


AREAS
Unit 41
Lower level 97.82m^2
Upper level 70.89m^2
Total 168.71m^2

UNIT 40, 41

PROPOSED UNIT DEVELOPMENT FOR 5JM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY









DEVELOPMENT DRAWINGS ONLY NOT FOR CONSTRUCTION

PROPOSED UNIT DEVELOPMENT FOR SJM PROPERTY DEVELOPMENTS PTY LTD AT 271 MAIN ROAD AUSTINS FERRY UNIT 40, 41 PLAN

DATE

11/07/2025

SCALE 1:100

AMENDED


DRAWING NO.


138 OF 143

DRAWN BY G.Tilley email: qltilley7@biqpond.com phone ph 0400 671 582


Accreditation No.CC620H


(C) copyright 2021 1221











CIVIL DRAWINGS SJM PROPERTY DEVELOPMENTS 271 MAIN ROAD AUSTINS FERRY

| | C001 | COVER | G | 8/07/2025 |
|--------|------|------------------------------------|----|------------|
| | C002 | ENGINEERING NOTES | F | 12/06/2025 |
| | C102 | DEMO PLAN | F | 12/06/2025 |
| | C103 | SITE PLAN | F | 12/06/2025 |
| | C104 | SW PRE CATCHMENT PLAN | Ę, | 12/06/2025 |
| } | C201 | ROAD AND STORMWATER PLAN - SHEET 1 | G | 8/07/2025 |
| } | C202 | ROAD AND STORMWATER PLAN - SHEET 2 | G | 8/07/2025 |
| | C203 | ROAD AND STORMWATER PLAN - SHEET 3 | F | 12/06/2025 |
| | C204 | ROAD AND STORMWATER PLAN - SHEET 4 | F | 12/06/2025 |
| | C205 | ROAD AND STORMWATER PLAN - SHEET 5 | F | 12/06/2025 |
| | C206 | ROAD AND STORMWATER PLAN - SHEET 6 | F | 12/06/2025 |
| | C207 | ROAD AND STORMWATER PLAN - SHEET 7 | F | 12/06/2025 |
| | C208 | ROAD AND STORMWATER PLAN - SHEET 8 | F | 12/06/2025 |
| | C301 | SEWER AND WATER PLAN - SHEET 1 | F | 12/06/2025 |
| | C302 | SEWER AND WATER PLAN - SHEET 2 | F | 12/06/2025 |
| | C303 | SEWER AND WATER PLAN - SHEET 3 | F | 12/06/2025 |
| | C304 | SEWER AND WATER PLAN - SHEET 4 | F | 12/06/2025 |
| | C305 | SEWER AND WATER PLAN - SHEET 5 | F | 12/06/2025 |
| | C306 | SEWER AND WATER PLAN - SHEET 6 | F | 12/06/2025 |
| | C307 | SEWER AND WATER PLAN - SHEET 7 | F | 12/06/2025 |
| | C308 | SEWER AND WATER PLAN - SHEET 8 | F | 12/06/2025 |
| | C401 | STORMWATER LONG SECTIONS - SHEET 1 | F | 12/06/2025 |
| | C402 | STORMWATER LONG SECTIONS - SHEET 2 | F | 12/06/2025 |
| | C403 | STORMWATER LONG SECTIONS - SHEET 3 | F | 12/06/2025 |
| | C404 | SEWER LONG SECTION - SHEET 1 | F | 12/06/2025 |
| \sim | C405 | SEWER LONG SECTION - SHEET 2 | F | 12/06/2025 |
| { | C406 | LONG SECTIONS - SHEET 1 | G | 8/07/2025 |
| ~ | C407 | LONG SECTIONS - SHEET 2 | F | 12/06/2025 |
| | | | | |

| | | | DRAWN: | NM |
|-----|-----------------------|------------|-----------|----|
| | | | CHECKED: | LG |
| | | | DESIGN: | NM |
| G | PLANNING RFI RESPONSE | 8/07/2025 | CHECKED: | LG |
| F | PLANNING RFI RESPONSE | 12/06/2025 | VERIFIED: | MG |
| RFV | ISSUE | DATE | APPROVAL | |



| Lower Ground |
|-----------------------|
| 199 Macquarie Street |
| Hobart TAS 7000 |
| 03 6234 8666 |
| mail@aldanmark.com.au |
| www.aldanmark.com.au |

| PROJECT: | SJM PROPERTY DEVELOPMENTS | ADDRESS: | 271 MAIN ROAD AUSTINS FERRY | SHEET: COVER | | | | |
|----------|---------------------------|----------|--------------------------------|--------------|--------------|------------------|-------|----|
| | | CLIENT: | SJM PROPERTY DEVELOPMENTS | SCALE: | AS INDICATED | TOTAL SHEETS: 28 | SIZE: | A1 |
| | | | | PROJECT No | 21 E 116 - 1 | SHEET: C001 | REV: | G |

GENERAL NOTES:

1. THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH THE ARCHITECTURAL, HYDRAULIC AND STRUCTURAL DRAWINGS AND SPECIFICATIONS. STANDARDS REFERENCED ARE TO BE THE MOST CURRENT VERSION.

2. THESE DRAWINGS SHALL NOT BE USED FOR CONSTRUCTION UNLESS ENDORSED 'FOR CONSTRUCTION' AND AUTHORISED

FOR ISSUE ACCORDINGLY. 3. ALL WORKS TO BE CARRIED OUT IN ACCORDANCE WITH IPWEA/LGAT STANDARD DRAWINGS AND SPECIFICATIONS, AUSTRALIAN STANDARDS, (WSAA SEWERAGE CODE OF AUSTRALIA & WATER SUPPLY CODE OF AUSTRALIA) AND TO THE

SATISFACTION OF COUNCIL'S DEVELOPMENT ENGINEER. 4. IPWEA/LGAT STANDARD DRAWINGS TO BE READ IN CONJUNCTION WITH COUNCIL EXCLUSION SHEETS TSD-E01-v1 & TSD-E02-v1.

5. ALL WORKS ARE TO BE MAINTAINED IN A SAFE CONDITION.

6. CONFIRM ALL LEVELS ON SITE PRIOR TO THE COMMENCEMENT OF WORKS

7. CONTRACTOR TO OBTAIN APPROVALS, SERVICE CLEARANCES AND COORDINATE WORK WITH ALL RELEVANT AUTHORITIES PRIOR TO COMMENCEMENT.

8. A "START OF WORKS NOTICE" MUST BE OBTAINED FROM COUNCIL PRIOR TO ANY WORKS COMMENCING. 9. SURVEY DATA UNDERTAKEN AND PROVIDED BY BROOKS LARK AND CARRICK SURVEYORS.

10. ARCHITECTURAL UNIT AND SITE LAYOUT UNDERTAKEN AND PROVIDED BY MICHAEL R COOPER & ASSOCIATES. 11. FLOOR LEVELS SET BY ARCHITECT. DRIVEWAY GRADING BASED ON THESE.

12. COUNCIL APPROVED PLANNING PERMIT REFERENCE DA 2016/165

13. TASWATER APPROVED PLANNING AUTHORITY NOTICE TWDA 2016/00953-SOR

WORKPLACE HEALTH & SAFETY NOTES:

BEFORE THE CONTRACTOR COMMENCES WORK THE CONTRACTOR SHALL UNDERTAKE A SITE SPECIFIC PROJECT PRE-START HAZARD ANALYSIS / JOB SAFETY ANALYSIS (JSA) WHICH SHALL IDENTIFY IN DOCUMENTED FORM;

THE TYPE OF WORK.

HAZARDS AND RISKS TO HEALTH AND SAFETY.

THE CONTROLS TO BE APPLIED IN ORDER ELIMINATE OR MINIMIZE THE RISK POSED BY THE IDENTIFIED HAZARDS. THE MANNER IN WHICH THE RISK CONTROL MEASURES ARE TO BE IMPLEMENTED.

THESE ARE TO BE SUBMITTED TO THE SUPERINTENDENT AND/OR OTHER RELEVANT WORKPLACE SAFETY OFFICERS.

FOR THIS PROJECT; POSSIBLE HAZARDS INCLUDE (BUT ARE NOT LIMITED TO):

EXCAVATION OF ANY TYPE & DEPTHS

CONTAMINATED SOILS

CONSTRUCTION IN GROUND WITH HIGH WATER TABLE FELLING / LOPPING &/OR REMOVAL OF EXISTING TREES/VEGETATION

UNDERGROUND STRUCTURES (MANHOLES / SUMPS / ETC)

CONFINED SPACES OVERHEAD POWER LINES

UNDERGROUND STORMWATER, WATER AND SEWER PIPES

TELECOMMUNICATION CABLES - BOTH UNDERGROUND & OVERHEAD ELECTRICAL/POWER CABLES - BOTH UNDERGROUND & OVERHEAD

WORKING AT HEIGHTS WORKING WITH ASBESTOS CONTAINING MATERIALS

TRAFFIC MANAGEMENT

EARTHWORKS & DRIVEWAY NOTES:

1. ALL EARTHWORKS SHALL BE IN ACCORDANCE WITH AS3798 "GUIDELINES ON EARTHWORKS FOR COMMERCIAL AND RESIDENTIAL DEVELOPMENTS".

ALL VEGETATION AND TOPSOIL SHALL BE STRIPPED AND GRUBBED IN THE AREA OF PROPOSED WORKS.

NEW OR MODIFIED DRIVEWAY CROSSINGS SHALL BE IN ACCORDANCE WITH IPWEA STANDARD DRAWING TSD-R09-v2 AND MUST BE INSPECTED AND APPROVED BY COUNCIL.

4. EXCAVATED AND IMPORTED MATERIAL USED AS FILL IS TO BE APPROVED BY THE ENGINEER PRIOR TO INSTALLATION. 5. FILL MATERIAL SHALL BE WELL GRADED AND FREE OF BOULDERS OR COBBLES EXCEEDING 150mm IN DIAMETER UNLESS APPROVED TO BE OTHERWISE.

6. FILL REQUIRED TO SUPPORT DRIVEWAYS INCLUDING FILL IN EMBANKMENTS THAT SUPPORT DRIVEWAYS SHALL BE INSTALLED IN ACCORDANCE WITH THE FOLLOWING REQUIREMENTS:

 TOP SOIL AND ORGANIC MATTER SHALL BE STRIPPED TO A MINIMUM OF 100mm. THE SUB GRADE SHALL HAVE A MINIMUM BEARING CAPACITY OF 100 kPa.

FILL IN EMBANKMENTS SHALL BE KEYED 150mm INTO NATURAL GROUND.

SHALL BE WITHIN 24 HOURS.

 THE FILL SHALL BE COMPACTED IN HORIZONTAL LAYERS OF NOT MORE THAN 200mm. EACH LAYER SHALL BE COMPACTED TO A MINIMUM DENSITY RATIO OF 95% STD, IT IS THE BUILDERS RESPONSIBILITY TO ENSURE THAT THIS IS ACHIEVED.

7. WHERE THE ABOVE REQUIREMENTS CANNOT BE ACHIEVED THE ENGINEER SHALL BE CONSULTED AND THE FORMATION SHALL BE PROOF ROLLED (UNDER SUPERVISION OF THE ENGINEER) TO CONFIRM AN APPROVED BASE.

8. CONCRETE PAVEMENTS SHALL BE CURED FOR A MINIMUM OF 3 DAYS USING A CURRENT BEST PRACTICE METHOD. SAWN CONTROL JOINTS SHALL BE CONSTRUCTED AS SOON AS POSSIBLE WITHOUT RAVELLING THE JOINT, GENERALLY THIS

10. BATTERS SHALL BE SET TO A SAFE ANGLE OF REPOSE IN ACCORDANCE WITH THE BCA VOL 2 AS INDICATED BELOW:

| SOIL TYPE (* REFER BCA 3.2.4) | | EMBANKMEN' | T SLOPES H:L |
|----------------------------------|---------------|----------------|--------------|
| | | COMPACTED FILL | CUT |
| STAI | BLE ROCK (A*) | 2:3 | 8:1 |
| | SAND (A*) | 1:2 | 1:2 |
| | SILT (P*) | 1:4 | 1:4 |
| CLAV | FIRM CLAY | | 1:1 |
| CLAY SOFT CLAY | | NOT SUITABLE | 2:3 |
| SC | FT SOILS (P) | NOT SUITABLE | NOT SUITABLE |

NOTE: WHERE SITE CONDITIONS ARE UNSUITABLE FOR A BATTERED BANK CONSULT THE ENGINEER FOR A SUITABLE RETAINING WALL DESIGN. EMBANKMENTS THAT ARE TO BE LEFT EXPOSED MUST BE STABILISED BY VEGETATION OR SIMILAR WORKS TO PREVENT SOIL EROSION.

DRAINAGE AND SERVICES NOTES:

- 1. ALL WORKS ASSOCIATED WITH PUBLIC STORMWATER INFRASTRUCTURE IS TO BE CARRIED OUT IN ACCORDANCE WITH IPWEA (TAS) LGAT STANDARD DRAWINGS AND SPECIFICATION AND TO THE SATISFACTION OF COUNCIL.
- 2. ALL WORKS ASSOCIATED WITH PUBLIC SEWER AND WATER IS TO BE CARRIED OUT IN ACCORDANCE WITH THE WSA PARTS 02 & 03
- (WATER AND SEWERAGE CODES OF AUSTRALIA), TASWATER SUPPLEMENTS TO THE SAME, AND TO THE SATISFACTION OF TASWATER. 3. ALL CONNECTIONS TO EXISTING MAINS TO BE CARRIED OUT BY THE REGULATING AUTHORITY AT COST TO BUILDER UNLESS
- APPROVED OTHERWISE. HYDRAULIC LAYOUT TO BE COORDINATED WITH OTHER SERVICES. HYDRAULIC LAYOUT AS SHOWN IS NOTIONAL, LAYOUT TO BE
- CONFIRMED ON SITE.
- ALL EXISTING SERVICES TO BE LOCATED ON SITE PRIOR TO THE COMMENCEMENT OF WORKS. GENERAL MATERIALS, INSTALLATION & TESTING SHALL COMPLY WITH AS3500 AND THE NCC VOLUME 3 (PCA)
- INSTALL ALL SUB-SOIL DRAINS TO THE REQUIREMENTS OF AS3500, PART 3.1.3 OF THE NCC 2019 VOLUME 2 AND PART FP2 OF THE NCC 2019 - VOLUME 3.
- 8. PAVEMENT AND HARDSTAND AREAS SHALL FALL AT A MINIMUM OF 1% (1:100) TOWARD AN APPROVED DISCHARGE POINT. 9. ALL PIPE WORK UNDER TRAFFICABLE AREAS, INCLUDING DRIVEWAYS, IS TO BE BACKFILLED WITH COMPACTED FCR.
- 10. DRAINAGE PIPES TO BE MIN. uPVC CLASS SN4, PIPES UNDER TRAFFICABLE AREAS TO BE SN8 U.N.O.
- MINIMUM GRADES FOR PRIVATE DRAINAGE PIPES SHALL BE 1% FOR STORMWATER AND 1.67% FOR SEWER U.N.O. 12. MINIMUM COVER FOR PRIVATE DRAINAGE PIPES SHALL BE 300mm FOR STORMWATER AND 500mm FOR SEWER U.N.O.
- 13. TASWATER SEWER MAINS TO BE MINIMUM DWV CLASS SN8 DN150 RRJ WITH MINIMUM CLASS SN10 DN100 PROPERTY CONNECTIONS.
- 14. STORMWATER MAINS TO BE MINIMUM DWV CLASS SN8 DN225 RRJ OR APPROVED EQUIVALENT UNLESS NOTED OTHERWISE. 15. WATER PIPES TO BE MIN. DN20 POLY PN16 AND FITTINGS TO BE MIN. CLASS 16 U.N.O.
- 16. WATER CONNECTIONS SHALL BE PROVIDED WITH METERAGE AND BACKFLOW PREVENTION AS PER TASWATER STANDARD DRAWING
- 17. ALL PIPEWORK TO BE INSPECTED BY COUNCIL PRIOR TO BACKFILL.
- 18. PIT DIMENSIONS SHOWN HAVE BEEN DESIGNED BY PIT CAPACITY TABLES. THESE PITS MAY NEED TO BE INCREASED IN MINIMUM INTERNAL SIZE DUE TO THE DEPTH AS PER AS3500.3 AS PER TABLE BELOW WHICH IS THE CONTRACTORS RESPONSIBILITY TO ENSURE COMPLIANCE TO AS3500:

| DEPTH TO INVERT OF OUTLET | | | INTERNAL ONS mm |
|------------------------------|-------|-------|--------------------|
| | | WIDTH | LENGTH |
| | ≤600 | 450 | 450 |
| >600 | ≤900 | 600 | 600 |
| >900 | ≤1200 | 600 | 900 |
| >1200 | | 900 | 900 |

CIVIL INSPECTIONS / HOLD POINTS:

THE BUILDER IS TO ALLOW TO ENGAGE ALDANMARK ENGINEERS TO UNDERTAKE INSPECTIONS AT THE FOLLOWING HOLD POINTS

OF A CIVIL WORKS NATURE:

SUBGRADE/FORMATION LEVEL OF DRIVEWAY PAVEMENT INCLUSIVE OF PROOF ROLL

BASE OF ROAD PAVEMENT INCLUSIVE OF PROOF ROLL DRIVEWAY REINFORCEMENT AND JOINTING PRIOR TO CONCRETE POUR


4. <ADD ANY SPECIFIC ITEMS THAT ALDANMARK WILL BE REQUIRED TO SIGN OFF/> 5. <EG. VEHICLE BARRIERS, RETAINING WALLS, WSUD FEATURES/>


| | | | DRAWN: | NM |
|-----|-----------------------|------------|-----------|----|
| | | | CHECKED: | LG |
| | | | DESIGN: | NM |
| | | | CHECKED: | LG |
| F | PLANNING RFI RESPONSE | 12/06/2025 | VERIFIED: | MG |
| REV | ISSUE | DATE | APPROVAL | |




| Lower Groun |
|----------------------|
| 199 Macquarie Stre |
| Hobart TAS 700 |
| 03 6234 866 |
| mail@aldanmark.com.a |
| www.aldanmark.com.a |

| PROJECT: SJM PROPERTY DEVELOPMENTS | ADDRESS: | 271 MAIN ROAD AUSTINS FERRY | SHEET: | ENGINEERING NOTE | 3 | |
|------------------------------------|----------|--------------------------------|------------|------------------|------------------|---------|
| | CLIENT: | SJM PROPERTY DEVELOPMENTS | SCALE: | AS INDICATED | TOTAL SHEETS: 28 | SIZE: A |
| | | | PROJECT No | · 21 E 116 - 1 | SHEET: C002 | REV: |










Document Set ID: 3539722 Version: 2, Version Date: 02/10/2025












































THESE DRAWINGS SHALL BE APPROVED BY RELEVANT AUTHORITIES (INCL. COUNCIL & TASWATER) PRIOR TO CONSTRUCTION.

THIS DRAWING MUST ONLY BE DISTRIBUTED IN FULL COLOUR. ALDANMARK CONSULTING ENGINEERS ACCEPTS NO LIABILITY ARISING FROM FAILURE TO COMPLY WITH THIS REQUIREMENT.

BEWARE OF UNDERGROUND SERVICES:
THE LOCATION OF UNDER GROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT LOCATION SHOULD
BE PROVEN ON SITE BY THE RELEVANT AUTHORITIES. NO GUARANTEE IS GIVEN THAT ALL SERVICES ARE

STRUCTURE NAME DATUM RL 20.90 DN300 StormPRO PIPE SIZE / MATRIAL 2.80% 4.00% 4.00% 1.00% 1.00% 1.00% 1.00% 1.00% 1.00% GRADE % 1.00% DEPTH TO INVERT INVERT LEVEL FINISHED SURFACE **EXISTING SURFACE** CHAINAGE 36.53m 40.76m 16.46m 12.07m 7.05m 14.91m 6.70m

DRAINAGE LONGITUNDINAL SECTION FOR LINE SW1
SCALES: HORIZONTAL 1:250 VERTICAL 1:100

| | | | DRAWN: | NM |
|-----|-----------------------|------------|-----------|----|
| | | | CHECKED: | LG |
| | | | DESIGN: | NM |
| | | | CHECKED: | LG |
| F | PLANNING RFI RESPONSE | 12/06/2025 | VERIFIED: | MG |
| REV | ISSUE | DATE | APPROVAL | |



| Lower Ground |
|-----------------------|
| 199 Macquarie Stree |
| Hobart TAS 7000 |
| 03 6234 8666 |
| mail@aldanmark.com.au |
| www aldanmark com au |

| SJM PROPERTY DEVELOPMENTS | ADDRESS: | 271 MAIN ROAD AUSTINS FERRY |
|---------------------------------|----------|--------------------------------|
| 0 1 2 3 4 5m H1:100 V1:50 | CLIENT: | SJM PROPERTY DEVELOPMENTS |

| | | | DRAWN: | NM |
|-----|-----------------------|------------|-----------|----|
| | | | CHECKED: | LG |
| | | | DESIGN: | NM |
| | | | CHECKED: | LG |
| F | PLANNING RFI RESPONSE | 12/06/2025 | VERIFIED: | MG |
| REV | ISSUE | DATE | APPROVAL | _ |

STRUCTURE

NAME



| Lower Ground |
|-----------------------|
| 199 Macquarie Street |
| Hobart TAS 7000 |
| 03 6234 8666 |
| mail@aldanmark.com.au |
| www.aldanmark.com.au |

DRAINAGE LONGITUNDINAL SECTION FOR LINE SW1
SCALES: HORIZONTAL 1:250 VERTICAL 1:100

| 0 | 0.5 | 1.0 | 3 1.5 | 2.0 | 5m 2.5m | H1:100 V1:50 | CLIENT: |
|---|-----|-----|----------|-----|------------|-----------------|---------|

PROJECT: SJM PROPERTY DEVELOPMENTS

ADDRESS: 271 MAIN ROAD AUSTINS FERRY

CLIENT: SJM PROPERTY DEVELOPMENTS

 SCALE:
 AS INDICATED
 TOTAL SHEETS:
 28
 SIZE:
 A1

 PROJECT No:
 21 E 116 - 1
 SHEET:
 C402
 REV:
 F

SHEET: STORMWATER LONG SECTIONS - SHEET 2

| BEWARE OF UNDERGROUND SERVICES: THE LOCATION OF UNDER GROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT LOCATION SHOULD BE PROVEN ON SITE BY THE RELEVANT AUTHORITIES. NO GUARANTEE IS GIVEN THAT ALL SERVICES ARE SHOWN. |
|--|
| |

NOTES

THESE DRAWINGS SHALL BE APPROVED BY RELEVANT AUTHORITIES (INCL. COUNCIL & TASWATER) PRIOR TO

THIS DRAWING MUST ONLY BE DISTRIBUTED IN FULL COLOUR. ALDANMARK CONSULTING ENGINEERS ACCEPTS NO LIABILITY ARISING FROM FAILURE TO COMPLY WITH THIS REQUIREMENT.

CONSTRUCTION.

| | | 5.985 | | | | |
|------------------------------|----------------|----------------|----------------|----------------|------------------|----------------------------|
| | | 1 DN300 IL 2 | | | | |
| | | LINE 3/ | | | | |
| | | 0 | 0 0 | | | 0 |
| DATUM RL 24.80 | DN300 StormPRO | DN300 StormPRO |
| PIPE SIZE / MATRIAL GRADE % | 1.00% | 1.00% | 1.00% | 1.00% | 1.00% | 4.00% |
| DEPTH TO INVERT | 2.16 | 78 | | | 1.28 | 1.32 |
| INVERT LEVEL | 25.622 | 9 | 26.215 | | 26.613 | 26.753 |
| FINISHED SURFACE | 27.78 | | 27. | | 27.90 | 28.52 |
| EXISTING SURFACE | 29.34 | 27. | | | 27.78 | 27.90 |
| CHAINAGE | 32.35m | 16.17m | | 39.79m | 758.14 13.99m | 272.14 10.33m 282.47 |

THESE DRAWINGS SHALL BE APPROVED BY RELEVANT AUTHORITIES (INCL. COUNCIL & TASWATER) PRIOR TO CONSTRUCTION.

THIS DRAWING MUST ONLY BE DISTRIBUTED IN FULL COLOUR. ALDANMARK CONSULTING ENGINEERS ACCEPTS NO LIABILITY ARISING FROM FAILURE TO COMPLY WITH THIS REQUIREMENT.

BEWARE OF UNDERGROUND SERVICES:
THE LOCATION OF UNDER GROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT LOCATION SHOULD
BE PROVEN ON SITE BY THE RELEVANT AUTHORITIES. NO GUARANTEE IS GIVEN THAT ALL SERVICES ARE
SHOWN.

| STRUCTURE NAME | SW2/2 | SW2/3 | SW2/4 | SW2/5 | | SW2/6 | SW2/7 | | SW2/8 | | SW2/9 |
|--------------------------------------|-----------------|----------------------------|---------------------------------|----------------------------|----------------|--------------------------|--------------|----------------|---------------------|----------------|-------------------|
| | | | | | | | | | | | |
| | | CLINE 8/1 DN376 IL 24.782 | | ← LINE 7/1 DN300 IL 27.970 | | EIME 6/1 DN300 IL 28.777 | | | | | |
| DATUM RL 22.2 PIPE SIZE / MATRIAL | | DN300 StormP | 2O DN300 | StormPRO | DN300 StormPRO | DN300 StormPR0 |) | DN300 StormPRO | | DN300 StormPRO | |
| GRADE % | 7.00% | 8.00% | | .00% | 4.00% | 2.00% | | 2.00% | | 1.00% | |
| | 10 | | | | | | | | | | |
| DEPTH TO INVERT | 96. | 1.97 | 2.90 | 3.13 | | 2.98 | 2.04 | | 1.79 | | 1.32 |
| INVERT LEVEL | 23.010 1.96 | 25.422 2.27 25.718 1.97 | 27.000 2.90 27.134 2.77 | 27.945 3.13 28.002 3.07 | | 28.752 3.04 | 29.262 1.95 | | 29.653 1.79 | | 29.975 1.32 |
| | 1.96 23.01 | | | | | | | | | | 31.29 29.975 1.32 |
| INVERT LEVEL | .31 24.96 23.01 | 25.422 | 27.000 | 27.945 | | 28.807 | 29.262 | | 29.653 | | 1.29 29.975 1. |
| INVERT LEVEL FINISHED SURFACE | .31 24.96 23.01 | 27.69 25.422 25.718 | 63.25 31.37 29.90 27.000 27.134 | 31.08 27.945 28.002 | | 31.79 28.752 28.807 | 31.21 29.177 | 16.92m | 31.44 29.600 29.653 | 32.18m | 1.29 29.975 1. |

DRAINAGE LONGITUNDINAL SECTION FOR LINE SW2 SCALES: HORIZONTAL 1:250 VERTICAL 1:100

| | | | DRAWN: | NM |
|-----|-----------------------|------------|-----------|----|
| | | | CHECKED: | LG |
| | | | DESIGN: | NM |
| | | | CHECKED: | LG |
| F | PLANNING RFI RESPONSE | 12/06/2025 | VERIFIED: | MG |
| REV | ISSUE | DATE | APPROVAL | |



| Lower Ground |
|-----------------------|
| 199 Macquarie Street |
| Hobart TAS 7000 |
| 03 6234 8666 |
| mail@aldanmark.com.au |
| www.aldanmark.com.au |

| l t | PROJECT: | SJM PROPERTY DEVELOPMENTS | ADDRESS: | 271 MAIN ROAD AUSTINS FERRY |
|------------------|----------|---|----------|--------------------------------|
| ,) I I | | 0 1 2 3 4 5m H1:100 V1:50 0 0.5 1.0 1.5 2.0 2.5m | CLIENT: | SJM PROPERTY DEVELOPMENTS |

PROJECT No: 21 E 116 - 1 SHEET: C403

DATUM RL 20.50 DATUM RL 19.30 **GRADE** % 4.12% 14.15% 1.20% 1.20% 2.47% 3.00% 2.78% 4.00% 1.00% 1.00% DN150 PVC PIPE SIZE / MATERIAL DN150 PVC 1.64 2.99 3.21 1.93 DEPTH TO INVERT 28.583 28.613 23.623 28.894 32.058 INVERT LEVEL FINISHED SURFACE **EXISTING SURFACE** CHAINAGE 76.55m 63.99m 29.43m 39.19m 23.89m 12.46m 3.24m SEWER LONGITUNDINAL SECTION FOR LINE SM1 SCALES: HORIZONTAL 1:500 VERTICAL 1:100 SEWER LONGITUNDINAL SECTION FOR LINE S1 SCALES: HORIZONTAL 1:500 VERTICAL 1:100 DRAWN: 271 MAIN ROAD SHEET: SEWER LONG SECTION - SHEET 1 ADDRESS: PROJECT: SJM PROPERTY DEVELOPMENTS Lower Ground **AUSTINS FERRY** LG CHECKED: ALDANMARK 199 Macquarie Street Hobart TAS 7000 03 6234 8666 mail@aldanmark.com.au CHECKED: LG CONSULTING ENGINEERS SCALE: AS INDICATED TOTAL SHEETS: 28 SJM PROPERTY DEVELOPMENTS 12/06/2025 VERIFIED: MG PLANNING RFI RESPONSE PROJECT No: 21 E 116 - 1 SHEET: C404 www.aldanmark.com.au ISSUE DATE APPROVAL Version: 2, Version Date: 02/10/2025

Document Set ID: 3539722

STRUCTURE DESCRIPTION

STRUCTURE NAME

NOTES

THESE DRAWINGS SHALL BE APPROVED BY RELEVANT AUTHORITIES (INCL. COUNCIL & TASWATER) PRIOR TO

THIS DRAWING MUST ONLY BE DISTRIBUTED IN FULL COLOUR. ALDANMARK CONSULTING ENGINEERS ACCEPTS NO LIABILITY ARISING FROM FAILURE TO COMPLY WITH THIS REQUIREMENT.

BEWARE OF UNDERGROUND SERVICES:
THE LOCATION OF UNDER GROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT LOCATION SHOULD BE PROVEN ON SITE BY THE RELEVANT AUTHORITIES. NO GUARANTEE IS GIVEN THAT ALL SERVICES ARE

DRAWN: NM CHECKED: LG CHECKED: LG PLANNING RFI RESPONSE 12/06/2025 VERIFIED: MG ISSUE APPROVAL DATE

69.58m



| Lower Ground |
|-----------------------|
| 199 Macquarie Street |
| Hobart TAS 7000 |
| 03 6234 8666 |
| mail@aldanmark.com.au |
| www.aldanmark.com.au |
| |

| 0 | 0.5 | 1.0 | 3 | 2.0 | 5m 2.5m | H1:100 V1:50 | |
|---|-----|-----|---|-----|------------|-----------------|--|

271 MAIN ROAD AUSTINS FERRY

SCALE: AS INDICATED

36.07m

SEWER LONGITUNDINAL SECTION FOR LINE S2 SCALES: HORIZONTAL 1:500 VERTICAL 1:100

SHEET: SEWER LONG SECTION - SHEET 2

32.95m

SEWER LONGITUNDINAL SECTION FOR LINE S1 SCALES: HORIZONTAL 1:500 VERTICAL 1:100

19.40m

| A | |
|---|-----------|
| | ALDANMARK |

71.74m

| F | PROJECT: | SJM PROPERTY DEVELOPMEN | | | | | | |
|---|----------|-------------------------|---|--|-------|---|---|----|
| _ | | | 0 | | 2 | 3 | 4 | 5m |

20.23m

ADDRESS:

SJM PROPERTY DEVELOPMENTS

TOTAL SHEETS: 28 PROJECT No: 21 E 116 - 1 SHEET: C405

| STRUCTURE NAME | S1/4 21/6 | S | S1/7 | S1/8 |
|---|--|------------------------------|---|--------------------|
| | StormPRO DN300 IL 25.27 StormPRO DN300 IL 25.52 | - /LINE S2/1 DN100 IL 26.613 | StormPRO DN300 IL 26.18 StormPRO DN300 IL 26.91 | |
| DATUM RL 22.10 GRADE % PIPE SIZE / MATERIAL | 1.00% DN150 PVC | 1.00% DN150 PVC | 1.00% DN150 PVC | 6.87% DN150 PVC |
| DEPTH TO INVERT | | | 2.54 | |
| INVERT LEVEL | 24.358 | 25.034 | 25.330 | 28.275 |
| FINISHED SURFACE | 27.36 | 20.50 | 28.58 | 29.95 |
| EXISTING SURFACE | 25.47 | 27 62 | 28.28 | 30.54 |
| | | | n | |

| | LINE S1/4 DN150 IL 23.678 PVC DN150 IL 28.40 | | - \ PVC DN150 IL 28.52 StormPRO DN300 IL 28.06 | | | StormPRO DN300 IL 29.18 StormPRO PN300 IL 29.18 | StormPRO DN300 IL 29.97 |
|----------------|---|--------|--|-----------|--------|---|-------------------------|
| DATUM RL 25.60 | 1.00% | | 1.00% | 1.00% | | 1.00% | 1.00% |
| | DN150 PV | С | DN150 PVC | DN150 PVC | | DN100 PVC | DN100 PVC |
| | 2.27 | 2.30 | | | 2.46 | 1.69 | |
| | 27.831 | 27.952 | 27.992 | 28.747 | 29.315 | 29.676 | 29.894 |
| | 30.10 | 30.25 | 31.18 | 31.78 | | 31.37 | 31.27 |
| | 30.02 | 30.75 | 33.03 | 32.62 | | 29.42 | 29.62 |
| | 00 | 80 | 4 | 09 | | 99 | 70 |

NO LIABILITY ARISING FROM FAILURE TO COMPLY WITH THIS REQUIREMENT. BEWARE OF UNDERGROUND SERVICES: THE LOCATION OF UNDER GROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT LOCATION SHOULD BE PROVEN ON SITE BY THE RELEVANT AUTHORITIES. NO GUARANTEE IS GIVEN THAT ALL SERVICES ARE

THIS DRAWING MUST ONLY BE DISTRIBUTED IN FULL COLOUR. ALDANMARK CONSULTING ENGINEERS ACCEPTS

CONSTRUCTION.

NOTES THESE DRAWINGS SHALL BE APPROVED BY RELEVANT AUTHORITIES (INCL. COUNCIL & TASWATER) PRIOR TO

Document Set ID: 3539722 Version: 2, Version Date: 02/10/2025


CHAINAGE

NOTES


THESE DRAWINGS SHALL BE APPROVED BY RELEVANT AUTHORITIES (INCL. COUNCIL & TASWATER) PRIOR TO CONSTRUCTION.

THIS DRAWING MUST ONLY BE DISTRIBUTED IN FULL COLOUR. ALDANMARK CONSULTING ENGINEERS ACCEPTS NO LIABILITY ARISING FROM FAILURE TO COMPLY WITH THIS REQUIREMENT.

BEWARE OF UNDERGROUND SERVICES:
THE LOCATION OF UNDER GROUND SERVICES ARE APPROXIMATE ONLY AND THEIR EXACT LOCATION SHOULD
BE PROVEN ON SITE BY THE RELEVANT AUTHORITIES. NO GUARANTEE IS GIVEN THAT ALL SERVICES ARE
SHOWN.



MAIN ENTRY AND LOOP CL



From 0.000m To 170.000m Scales: H 1:250 V 1:100
MAIN ENTRY AND LOOP CL

SECTIONS 01
SCALE 1:100 (A1)

PROJECT:

| | | | DRAWN: | NM |
|-----|-----------------------|------------|-----------|----|
| | | | CHECKED: | LG |
| | | | DESIGN: | NM |
| G | PLANNING RFI RESPONSE | 8/07/2025 | CHECKED: | LG |
| F | PLANNING RFI RESPONSE | 12/06/2025 | VERIFIED: | MG |
| REV | ISSUE | DATE | APPROVAL | |



| Lower Ground |
|-----------------------|
| 199 Macquarie Street |
| Hobart TAS 7000 |
| 03 6234 8666 |
| mail@aldanmark.com.au |
| www.aldanmark.com.au |

| SJM PROPERTY DEVELOPMENTS | ADDRESS: | 271 MAIN ROAD AUSTINS FERRY | SHEET: | LONG SECTIONS - SH | HEET 1 | |
|---------------------------------|----------|--------------------------------|------------------|--------------------------------|------------------------------|----------|
| 0 1 2 3 4 5m H1:100 V1:50 | CLIENT: | SJM PROPERTY DEVELOPMENTS | SCALE: PROJECT N | as indicated ○ 21 E 116 - 1 | TOTAL SHEETS: 28 SHEET: C406 | SIZE: A1 |

THE LOCATION ON SITE BY THE RELEVANT AUTHORITIES IN QUARANTIE IS GIVEN THAT ALL SERVICES AND BENCHES ON SITE BY THE RELEVANT AUTHORITIES IN QUARANTIE IS GIVEN THAT ALL SERVICES AND BENCHES AND BENCH

NOTES


THESE DRAWINGS SHALL BE APPROVED BY RELEVANT AUTHORITIES (INCL. COUNCIL & TASWATER) PRIOR TO

THIS DRAWING MUST ONLY BE DISTRIBUTED IN FULL COLOUR. ALDANMARK CONSULTING ENGINEERS ACCEPTS


NO LIABILITY ARISING FROM FAILURE TO COMPLY WITH THIS REQUIREMENT.

CONSTRUCTION.

BEWARE OF UNDERGROUND SERVICES:



From 0.000m To 35.297m Scales: H 1:100 V 1:50 LOOP TO CENTRAL CL



From 340.000m To 401.037m Scales: H 1:250 V 1:100

MAIN ENTRY AND LOOP CL

SECTIONS 02
SCALE 1:100 (A1)

| | | DRAWN: | NM | 4 | | PROJECT: | SJM PROPERTY DEVELOPMENTS | ADDRESS: 271 MAIN ROAD | SHEET: LONG SECTIONS - SHEET 2 |
|-----|----------------------------------|-----------|-------|-------|---------------------|--------------------------------------|---------------------------|-----------------------------------|---|
| | | CHECKED: | LG | | | Lower Ground | | AUSTINS FERRY | |
| | | DESIGN: | NM | / ALD | ANMARK | 199 Macquarie Street Hobart TAS 7000 | | | |
| | | CHECKED: | LG | | ONSULTING ENGINEERS | 03 6234 8666 | 0 1 2 3 4 5m | CLIENT: SJM PROPERTY DEVELOPMENTS | SCALE: AS INDICATED TOTAL SHEETS: 28 SIZE: A1 |
| F | PLANNING RFI RESPONSE 12/06/2025 | VERIFIED: | MG | | | mail@aldanmark.com.au | H1:100 V1:50 | | |
| REV | ISSUE DATE | APPR | ROVAL | | | www.aldanmark.com.au | 0 0.5 1.0 1.5 2.0 2.5m | | PROJECT No: 21 E 116 - 1 SHEET: C407 REV: F |